Japan. J. Math. 14, 1–25 (2019) DOI: 10.1007/s11537-018-1726-x



Sharp threshold phenomena in statistical physics*

Hugo Duminil-Copin

Received: 9 June 2017 / Revised: 30 July 2018 / Accepted: 28 November 2018

Published online: 28 January 2019

© The Mathematical Society of Japan and Springer Japan KK, part of Springer Nature 2019

Communicated by: Toshiyuki Kobayashi

Abstract. This text describes the content of the Takagi Lectures given by the author in Kyoto in 2017. The lectures present some aspects of the theory of sharp thresholds for Boolean functions and its application to the study of phase transitions in statistical physics.

Keywords and phrases: percolation, discontinuous phase transition

Mathematics Subject Classification (2010): 82B43, 82B27

H. DUMINIL-COPIN
Institut des Hautes Études Scientifiques
Le Bois-Marie 35, route de Chartres, 91440 Bures-sur-Yvette, France and
Section de Mathématiques, Université de Genève
2-4 rue du lièvre, 1211 Genève 4, Switzerland

(e-mail: duminil@ihes.fr)

^{*} This article is based on the 19th Takagi Lectures that the author delivered at Research Institute for Mathematical Science, Kyoto University on July 8 and 9, 2017.